



A LIFETIME OF SECURITY

Wireless Internal Sounder

RISCO's internal sounder is an aesthetically designed, fully wireless unit designed for residential applications which extends the sounding of the alarm into the indoor environment and can be used to scare off intruders.



www.riscogroup.com

→ About the product

Being fully two-way, the internal sounder can be mounted in a central location inside the premises close to where the user resides with the control panel safely installed out of the sight of intruders.

→ Models Available

RWS33200400A - WL 2W Internal Sounder,433

RWS33200800A - WL 2W Internal Sounder,868

→ Key Features



Fully Battery-Powered

Operates entirely on batteries, ensuring easy installation without the need for wiring.



Reliable Two-Way Wireless

Features bi-directional wireless communication for consistent and secure performance.



Fully Supervised Operation

Provides constant monitoring to ensure the device is always operational and ready.



Remote Programming & Diagnostics

Supports remote configuration and troubleshooting for effortless maintenance.



Comprehensive Tamper Protection

Equipped with cover and back tamper safeguards to prevent unauthorized interference.

→ Technical Specifications

Item	Specifications
Speaker sound level	85 dB at 1 meter
Indicators	Audible (Piezo)
Average power consumption	53mA (alarm sounding)
Quiescent power consumption	65 µA (non-alarm sounding)
Battery life	3 years (typical)
Battery type	4 x CR123 3V Lithium battery
Low battery threshold	2.5 V
Siren type	Type W indoor sounder
Maximum sounder duration	-10 °C to 55 °C (14 °F to 131 °F)
Humidity during operation	10% to 85% RH, no condensation or icing
Color	White
Dimensions (D x H)	130 x 50 mm (5.11 x 1.96')
Weight	295g (net)
Supervision monitoring	Approx. every 60 min. (adjustable)
Modulation type	ASK
Wireless trans. power	10mW
Wireless range	Up to 150 m (unobstructed)
Standard Compliance	EN50131-1, EN 50131-4 Grade 2, Environmental Class II



www.riscogroup.com